


2044 JCB Tools Brochure Tasher.indd 1 01/02/2022 11









The range includes advanced brushless motor technology providing an extra 25% more power, 50% longer run time and extended motor life. By eliminating the need for carbon brushes ,the energy normally lost to friction and resulting heat build-up goes into delivering higher performance and greater long term efficiency.

#### **5X LONGER MOTOR LIFE**

Brushless motors have fewer wearable parts resulting in increased motor life.

#### 25% MORE POWER

**(** 

Fewer moving parts result in a quiet motor that never needs maintenance. The reduced friction enables a better use of available energy from the battery pack as there is no resistance from brushes.

#### **50% MORE RUN TIME**

Carbon brush resistance is eliminated, so less battery energy is wasted. The efficiency of a brushless motor results in a greater run time from each charge.

#### I YEAR WARRANTY

All JCB tools products are backed by a 1-year warranty across all products.

#### **ICONS GUIDE**















LED LIGHT



ACCESSORIES







































ANTI VIBRATION

















KEYLESS LOCKING

ADJUSTABLE SHOF



MOTOR

0°- 45° BEYEL

3° OSCILLATION





LOCK ON SWITCH

IAA



























+45° - -145° MITRE



















LASER GUIDE

04 / 05 JCB TOOLS & ACCESSORIES 2022


# E-TECH BATTERIES AND CHARGERS POWER AND FLEX BLITY

POWERED BY UCB TELH

\*Compared to JCB 4.0Ah Li-lon battery

- UP TO 50% LONGER RUNTIME\*
- COOLING TECHNOLOGY
- · INCREASED POWER
- **BUILT TO LAST**

\*Compared to JCB 4.0Ah Li-ion battery



2044 JCB Tools Brochure Tasher.indd 5 01/02/2022 11:30



06 / 07 JCB TOOLS & ACCESSORIES 2022



#### 18V COMBI DRILL BRUSHLESS

JCB-18BLCD-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- 2-Speed variable gearbox
- Drilling, screw driving and hammer functions
- 20+3 position adjustable torque control
- Trigger switch with locking option for controlled application
- Includes 50mm double ended screwdriver bit and belt clip





















#### 18V COMBI DRILL

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- 2-Speed variable gearbox
- Drilling, screwdriver and hammer functions
- 16+3 position adjustable torque control
- Trigger switch with locking option for controlled application
- Includes 50mm double ended screwdriver bit and belt clip











#### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION CONTRACTOR
VOLTAGE	18V
MAX TORQUE (Nm)	65NM
CLUTCH POSITIONS	20 + 3 MODES
NO. LOAD SPEED	0 – 500/MIN, 0 – I800/MIN
IMPACT RATE	0 – 28,800 BPM
CHUCK CAPACITY	I.5MM — I3MM
MAX DRILLING CAPACITY	35MM (WOOD) I3MM (METAL) IOMM (MASONRY)
WEIGHT	1.4KG (BODY ONLY WITHOUT BATTERY)
LENGTH	20.0CM
HEIGHT	19.5CM
WIDTH	7.0CM

## **SPECIFICATION**


BATTERY TYPE	LITHIUM-ION
VOLTAGE	187
MAX TORQUE (Nm)	45NM
CLUTCH POSITIONS	I6 + 3 MODES
NO. LOAD SPEED	0 – 450/MIN, 0 – 1600/MIN
IMPACT RATE	0 – 25,600 BPM
CHUCK CAPACITY	I.5MM – I3MM
MAX DRILLING CAPACITY	30MM (WOOD) I3MM (METAL) I0MM (MASONRY)
WEIGHT	1.35KG (BODY ONLY WITHOUT BATTERY)
LENGTH	22.0CM
HEIGHT	19.0CM
WIDTH	7.3CM







**(** 



#### 18V DRILL DRIVER BRUSHLESS

JCB-18BLDD-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- 2-Speed variable gearbox
- Drilling and screwdriving functions
- Delivers 65Nm of torque
- 19+1 position adjustable torque control
- Trigger switch with locking option for controlled application
- Includes 50mm double ended screwdriver bit and belt clip

















## **18V DRILL DRIVER**

JCB-18DD-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- 2-Speed variable gearbox
- Drilling and screwdriving functions
- Delivers 45Nm of torque
- 19+1 position adjustable torque control
- Trigger switch with locking option for controlled application
- Includes 50mm double ended screwdriver bit and belt clip











LED LIGHT

#### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION
VOLTAGE	ISV OOOOOOOO
MAX TORQUE (NM)	45NM
CLUTCH POSITIONS	19+ I MODES
NO. LOAD SPEED	0 – 450/MIN, 0 – 1600/MIN
MAX DRILLING CAPACITY	30MM (WOOD) I3MM (METAL)
WEIGHT	1.3KG (BODY ONLY WITHOUT BATTERY)
LENGTH	22.5CM
HEIGHT	19.0CM
WIDTH	7.0CM

### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION COOCE
VOLTAGE	IBV
MAX TORQUE (NM)	65NM
CLUTCH POSITIONS	19 + I MODES
NO. LOAD SPEED	0 – 500/MIN, 0 – 1800/MIN
MAX DRILLING CAPACITY (WOOD)	35MM (WOOD) I3MM (METAL)
WEIGHT	I.3KG (BODY ONLY WITHOUT BATTERY)
LENGTH	20.5CM
HEIGHT	19.5CM
WIDTH	7.ICM

08 / 09 JCB TOOLS & ACCESSORIES 2022



#### 18V IMPACT DRIVER BRUSHLESS

JCB-18BLID-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- Powerful 180Nm Torque with variable speed up to 2,200 rpm
- I/4" Hex quick change chuck
- Built in LED for improved visibility
- Ergonomic design with rubber grip overmould
- $\bullet$  Impact rate of 0 3,300 bpm

















#### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION
VOLTAGE	18V
MAX TORQUE	180 NM
NO. LOAD SPEED	0 – 2200/MIN
IMPACT RATE	0 – 3,300 BPM
DRIVE	1/4" HEX
WEIGHT	I.I5KG (BODY ONLY WITHOUT BATTERY)
LENGTH	16.0CM
HEIGHT	19.5CM
WIDTH	7.ICM

#### 18V ROTARY HAMMER DRILL BRUSHLESS

JCB-18BLRH-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- Powerful 4-mode Brushless SDS Rotary Hammer Drill
- Ideal for drilling into concrete, brick and masonry
- Incorporates a rotary stop mode for light chiselling in tiles, render and plaster
- $\bullet$  Includes 4 x SDS drill bits (6,8,10,12mm) and SDS Plus® chuck
- Multi-positional side handle for operational convenience















BATTERY TYPE	LITHIUM-ION
VOLTAGE	ISY COORDINATION OF THE PROPERTY OF THE PROPER
CLUTCH POSITIONS	4 MODES
NO. LOAD SPEED	0 – I400/MIN
HAMMER IMPACT RATE	0 – 4,500 BPM
IMPACT FORCE	1.7.1
CHUCK CAPACITY	SDS PLUS®
MAX DRILLING CAPACITY	40MM (WOOD) I3MM (METAL) 26MM (MASONRY)
WEIGHT	2KG (BODY ONLY WITHOUT BATTERY)
LENGTH	29.5CM
HEIGHT	19.0CM
WIDTH	7.7CM
	000000000000000000000000000000000000000















**(** 



#### **18V CIRCULAR SAW**

JCB-18CS-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- $\bullet$  Adjustable aluminium base plate for bevel cuts up to  $45^\circ$
- 3,650 rpm for fast and accurate cutting
- Supplied with a 165mm diameter, 24 tooth, carbide tipped blade

















#### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION CONTRACTOR
VOLTAGE	187
NO. LOAD SPEED	3650/MIN
SAW BLADE DIAMETER	165MM
MAX CUTTING DEPTH	0°: 55MM – 45°: 35MM
SAW BORE DIAMETER	16MM
WEIGHT	2.9KG (BODY ONLY WITHOUT BATTERY)
LENGTH	32.0CM
HEIGHT	22.5CM 2000000000000000000000000000000000000
WIDTH	18.0CM

#### **18V JIGSAW**

JCB-18JS-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- Tool free blade change for convenience
- 4-Stage pendulum for use on a variety of different materials
- Solid base plate incorporating a lever operated quick-change bevelling capability
- Dust extraction (with adaptor)
- Includes I x wood and I x metal blade

















OVERLOAD PROTECTION

#### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION
VOLTAGE	18V 000000000000000000000000000000000000
NO. LOAD SPEED	0 – 2500/MIN
STROKE LENGTH	25.4MM
SAW PENDULUM SETTINGS	4) 000000000000000000000000000000000000
SAW BEYEL ANGLES	0°/I5°/30°/45°
SAW BLADE FIXTURE	T-SHANK
CUTTING CAPACITY - WOOD, STEEL	WOOD: 80MM, STEEL: 6MM
WEIGHT	I.5KG (BODY ONLY WITHOUT BATTERY)
LENGTH	22.5CM
HEIGHT	21.5CM
WIDTH	7.0CM

10 / 11 JCB TOOLS & ACCESSORIES 2022



#### **18V RECIPROCATING SAW**

JCB-18RS-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- Powerful, versatile saw with variable speed control, ideal for cutting metal, wood, plastic and much more
- Adjustable position foot plate which gives flexibility of cutting depth
- A tool free blade change system gives speed and ease of blade change
- Safety interlock trigger for added safety
- Includes I wood (230mm 6T) and I metal (I50mm 24T) cutting blades















#### **18V MULTI-TOOL**

JCB-18MT-B-

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- Ideal for cutting, sawing, scraping, grinding, sanding and more
- Tool-free blade change system
- Anti-vibration technology
- Variable speed 5,000 to 15,000/min
- Includes I x scraper, I x straight blade, I x sanding pad, 3 x sanding sheets















#### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION
VOLTAGE	18V
STROKE RATE	0-3000 SPM
STROKE LENGTH	20MM
MAX CUTTING DEPTH (WOOD)	100ММ
PENDULUM SETTINGS	2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
WEIGHT	2.0KG (BODY ONLY WITHOUT BATTERY)
LENGTH	44.5CM (SHOE FULLY EXTENDED)
HEIGHT	15CM
WIDTH	7.0CM

#### **SPECIFICATION**

<del> </del>	
BATTERY TYPE	LITHIUM-ION CONTRACTOR
VOLTAGE	187
NO. LOAD SPEED	5000 – I5000/MIN
OSCILLATION ANGLE	3 DEGREES
WEIGHT	I.IKG (BODY ONLY WITHOUT BATTERY)
LENGTH	26.5CM
HEIGHT	9.5CM
WIDTH	6.5CM
<del></del>	















**(** 

#### **18V ANGLE GRINDER**

JCB-18AG-B-I

## **18V INSPECTION LAMP**

#### JCB-18IL-B-I

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- Ideal tool for cutting and grinding metal, stone and paving
- 3 position anti-vibration side handle
- Aluminium casing for enhanced heat distribution resulting in greater durability
- Tool free guard adjustment and spindle lock button
- Includes 1 x 115mm grinding disc























## **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION COCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOCOC
VOLTAGE	189
NO. LOAD SPEED	8000/MIN
GRINDING DISC DIAMETER	ІІБММ
WEIGHT	1.64KG (BODY ONLY WITHOUT BATTERY)
LENGTH	32.0CM
HEIGHT	II.3CM
WIDTH	I3CM (24.5CMS WITH SIDE HANDLE)

#### **FEATURES**

- Compatible with 2.0Ah, 3.0Ah, 4.0Ah, 5.0Ah, 6.0Ah and 8.0Ah battery packs
- Delivers 220 Lumens of consistent illumination
- Variable folding positions
- Up to 26 hours of use with a fully charged 5 Ah battery pack
- Built-in hanging hook
- Luminaire type: floodlight











#### **SPECIFICATION**

BATTERY TYPE	LITHIUM-ION
VOLTAGE	ISV OOOOOOOOOOO
FLOODLIGHT LAMP TYPE	3W COB LED
LUMENS	220 LUMENS
SWIVEL HEAD RANGE	0°-270°
SWIVEL ARM RANGE	0°-180°
RUN TIME (CONT)	26HRS (5AH BATTERY)
WEIGHT	0.3KG (BODY ONLY WITHOUT BATTERY)
LENGTH	II.5CM FOLDED, 9CM UNFOLDED
HEIGHT	I8CM FOLDED, 30CM UNFOLDED
WIDTH	6.5CM

12 / 13 JCB TOOLS & ACCESSORIES 2022



#### LI-ION BATTERIES



JCB-21-20LI-I	JCB 2.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS
JCB-21-30LI-I	JCB 3.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS
JCB-21-40LI-I	JCB 4.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS
JCB-21-50LI-I	JCB 5.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS
JCB2I-30LI-HC	JCB 3.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS
JCB2I-40LI-HC	JCB 4.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS
JCB2I-60LI-HC	JCB 6.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS
JCB2I-80LI-HC	JCB 8.0AH LI-ION BATTERY   LED INDICATOR   COMPATIBLE WITH ALL 18Y TOOLS

#### CHARGERS



CODE	CAPACITY	CHARGE TIME JCB-18VFC-I	CHARGE TIME JCB-18VSFC-I	CHARGE TIME JCB-18DC-1
JCB-21-20LI-I	2.0AH	45 MINS	30 MINS	35 MINS
JCB-21-30LI-I	3.0AH	65 MINS	40 MINS	45 MINS
JCB-21-40LI-I	4.0AH	90 MINS	55 MINS	60 MINS
JCB-21-50LI-I	5.0AH	IIO MINS	65 MINS	75 MINS
JCB21-30LI-HC	3.0AH	65 MINS	45 MINS	55 MINS
JCB2I-40LI-HC	4.0AH	IOO MINS	60 MINS	70 MINS
JCB2I-60LI-HC	6.0AH	I50 MINS	90 MINS	105 MINS
JCB2I-80LI-HC	8.0AH	200 MINS	120 MINS	140 MINS

Times given as a guide only. Battery charge and discharge times dependant on age, usage and condition.



INPUT VOLTAGE	AC 220-240V
INPUT FREQUENCY	50-60V
INPUT POWER	105W









14 / 15 JCB TOOLS & ACCESSORIES 2022



#### **450W ELECTRIC DRILL**

#### JCB-ED450-EM

#### **FEATURES**

- Powerful 450W motor for professional use
- Suitable for drilling into wood and metal
- Compact design helps working in tight spaces and above head
- Keyless chuck for quick bit change
- Variable speed trigger with lock on switch
- Forward and reverse functions









## **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	450W
NO. LOAD SPEED	3,300/MIN
CAPACITY	IOMM COCCOCCOCCOCCOCCOCCOCCOCCOCCOCCOCCOCCOC
CABLE LENGTH	2M

#### **CONTENTS**

450W ELECTRIC DRILL

**SPARE CARBON BRUSHES** 

#### **550W IMPACT DRILL**

#### **FEATURES**

- Powerful 550W motor for professional use
- Suitable for drilling into wood, metal and masonry
- 2 function with drill and hammer modes
- Heavy duty metal keyed chuck
- Variable speed trigger with lock on switch
- Forward and reverse functions









## **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	550W
NO. LOAD SPEED	2,800/MIN
CAPACITY	MASONRY I3MM, STEEL I3MM
CABLE LENGTH	2M

#### **CONTENTS**

550W IMPACT DRILL

**AUXILIARY HANDLE** 

**DEPTH GAUGE** 

**CHUCK KEY** 

SPARE CARBON BRUSHES









**(** 



#### 710W IMPACT DRILL

JCB-ID710-EM

#### **FEATURES**

- Powerful 710W motor for professional use
- Suitable for drilling into wood, metal and masonry
- 2 function with drill and hammer modes
- Heavy duty metal keyed chuck
- Variable speed trigger with lock on switch
- Forward and reverse functions



710W







VARIABLE SPE

#### **500W ROTARY HAMMER**

JCB-RH500-EM

#### **FEATURES**

- Powerful 2-mode Hammer Drill (drilling, hammer drilling)
- Ideal for drilling into concrete, brick and masonry
- Multi-positional side handle for operational convenience
- Includes 3 drill bits (6, 8,10mm) and case















SPECIFICATION

220-230V 50HZ
500W
0 - I200/MIN
0 - 5000/MIN
I.5J
SDS PLUS®
20MM
2M

#### CONTENTS

500W ROTARY HAMMER	DEPTH GAUGE
AUXILIARY HANDLE	6/8/10 X I50MM SDS PLUS® BIT

#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	710W
NO. LOAD SPEED	2,800/MIN
CAPACITY	MASONRY I3MM, STEEL I3MM, WOOD 35MM
CABLE LENGTH	2M

#### CONTENTS

710W IMPACT DRILL

**AUXILIARY HANDLE** 

**DEPTH GAUGE** 

CHUCK KEY

**SPARE CARBON BRUSHES** 

16 / 17 JCB TOOLS & ACCESSORIES 2022




#### **800W ROTARY HAMMER**

JCB-RH800-EM

#### **FEATURES**

- Powerful 4-mode Hammer Drill (drilling, hammer drilling, chiselling and chisel adjustment)
- Ideal for drilling into concrete, brick and masonry
- Incorporates a rotary stop mode for chiselling in tiles, render and plaster















#### **1050W ROTARY HAMMER**

#### JCB-RH1050-I

#### **FEATURES**

- Powerful 4-mode Hammer Drill (drilling, hammer drilling, chiselling and chisel adjustment)
- Ideal for drilling into concrete, brick and masonry
- Incorporates a rotary stop mode for light chiselling in tiles, render and plaster
- Multi-positional side handle for operational convenience
- Includes an SDS Plus® chuck and standard 13mm chuck, 2 chisels & 3 drill bits (8,10,12mm), I set spare carbon brushes and case

















## **SPECIFICATION**

50W
1070 MIN (RRM)
- 1070/MIN (RPM)
- 4800 BPM
MODES
21 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
os PLUS®
MM (WOOD) 13MM (METAL) 26MM (MASONRY)
7KG
OCM CONTRACTOR CONTRAC
СМ
ІСМ
2





#### **SPECIFICATION**

VOLTAGE	220-230V 50HZ
INPUT POWER	800W
NO. LOAD SPEED	0 - 1300/MIN
IMPACT RATE	0 – 5500/MIN
IMPACT ENERGY	2.8J
CHUCK TYPE	SDS PLUS®
CAPACITY	26MM
CABLE LENGTH	2М

#### **CONTENTS**

800W ROTARY HAMMER	DEPTH GAUGE	POINTED CHISEL
AUXILIARY HANDLE	6/8/10 X I50MM SDS PLUS® BIT	FLAT CHISEL



2044 JCB Tools Brochure Tasher.indd 17 01/02/2022 11:31







**(** 

#### **1500W ROTARY HAMMER**

JCB-21-RH1500-I

#### **FEATURES**

- Powerful 4-mode Hammer Drill (drilling, hammer drilling, chiselling and chisel adjustment)
- Ideal for drilling into concrete, brick and masonry
- Incorporates a rotary stop mode for light chiselling in tiles, render and plaster
- Includes 2 chisels & 3 drill bits (8,10,12mm), I set spare carbon brushes, grease tube & wrench
- Multi-positional side handle for operational convenience















JS® CASE INC

## **1300W 5KG DEMOLITION HAMMER**

JCB-DH1300-EM

#### **FEATURES**

- Powerful demolition hammer delivering 18J of impact energy
- Suitable for fast chiselling and high material removal rate
- Anti-vibration system and lock on switch for comfort and reduce fatigue
- Multi-positional side handle for operational convenience
- Includes 2 chisels and carry case















IMPACT ENERG

ANTI VIBRATIO

r

D LOCK ON

#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	1300W
IMPACT RATE	4100BPM
IMPACT ENERGY	187
сниск	I7MM HEX
CABLE LENGTH	2M 000000000000000000000000000000000000

#### **CONTENTS**

1300W DEMOLITION HAMMER	GREASE TUBE
AUXILIARY HANDLE	WRENCH
FLAT CHISEL	SPARE CARBON BRUSHES
POINTED CHISEL	000000000000000000000000000000000000000

#### **SPECIFICATION**

INPUT VOLTAGE	230-240V AC 50HZ
POWER	I500W
NO.LOAD SPEED	920/MIN
HAMMER IMPACT RATE	4230 BPM
CLUTCH POSITION	4 MODES
IMPACT FORCE	61 0 0 0 0 0 0 0 0 0 0 0 0 0 0
CHUCK TYPE	SDS PLUS®
MAX DRILLING CAPACITY	42MM (WOOD) 13MM (METAL) 32MM (MASONRY)
WEIGHT	5.3KG
LENGTH	36.2CM
HEIGHT	24.3CM
WIDTH	II.4CM

18 / 19 JCB TOOLS & ACCESSORIES 2022



#### 1500W 11KG DEMOLITION HAMMER

JCB-DH1500-EM

#### **FEATURES**

- Powerful demolition hammer delivering 16.8J of impact energy
- Variable speed control suitable for fast chiselling and high material removal rate
- Anti-vibration system and lock on switch for comfort and reduce fatigue
- Multi-positional auxiliary handle for operational convenience
- Includes 2 chisels and carry case















#### 1700W 16KG DEMOLITION HAMMER

JCB-DH1700-EM

#### **FEATURES**

- Powerful demolition hammer delivering 60J of impact energy
- Suitable for fast chiselling and high material removal rate
- Anti-vibration system and lock on switch for comfort and reduce fatigue
- Multi-positional auxiliary handle for operational convenience
- Includes 2 chisels and carry case













#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	I500W
IMPACT RATE	I,000 2,250BPM
IMPACT ENERGY	l6.8J
сниск	SDS MAX®
CABLE LENGTH	2M

#### **CONTENTS**

1300W DEMOLITION HAMMER	GREASE TUBE
AUXILIARY HANDLE	WRENCH
FLAT CHISEL	SPARE CARBON BRUSHES
POINTED CHISEL	

#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	1700W
IMPACT RATE	I,900BPM
IMPACT ENERGY	60J
сниск	зомм нех
CABLE LENGTH	2M 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

#### CONTENTS

1700W DEMOLITION HAMMER	GREASE TUBE	
AUXILIARY HANDLE		
FLAT CHISEL		
POINTED CHISEL	000000000	0000000













**(** 

#### 100MM (4") 900W ANGLE GRINDER

JCB-AG900-EM

#### **FEATURES**

- Powerful 900W motor for professional use
- Suitable for cutting and grinding
- Ergonomic slim body design
- 2 position side handle
- Side handle, pin wrench and guard included









OOMM/4" DISC

ADJUSTAB

SPINDL

#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	900W
NO. LOAD SPEED	II,000/MIN
CAPACITY	MIO
DISC	IOOMM/4" (NOT INCLUDED)
CABLE LENGTH	2M

#### **CONTENTS**

900W GRINDER	FLANGE SET
SIDE HANDLE	SPARE CARBON BRUSHES
PIN WRENCH	
GUARD	

#### 115MM (4.5") 1100W ANGLE GRINDER

JCB-AG1100EM

#### **FEATURES**

- Powerful I I00W motor for professional use
- Suitable for cutting and grinding
- Ergonomic slim body design
- 2 position side handle
- Side handle, pin wrench and guard included









ADJU

BLE :

#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	1100W
NO. LOAD SPEED	II,000/MIN
CAPACITY	MI4
DISC	IISMM/4.5" (NOT INCLUDED)
CABLE LENGTH	2M 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

#### **CONTENTS**

IIOOW GRINDER	FLANGE SET
AUXILIARY HANDLE	SPARE CARBON BRUSHES
2 PIN SPANNER	
ADJUSTABLE GUARD	





## **(**

#### 1250W 100MM (4") MARBLE CUTTER

#### JCB-MC100-EM

#### **FEATURES**

- Powerful 1250W motor for professional use
- Suitable for cutting marble, stone and tiles
- Compact, lightweight design for easy operation
- Adjustable metal base plate
- Dust protection switch with lock on function













ALUMINIUM

#### **FEATURES**

- Powerful 1250W motor for professional use
- Suitable for cutting marble, stone and tiles
- Compact, lightweight design for easy operation
- Adjustable metal base plate
- Dust protection switch with lock on function



JCB-MC125-EM







1250W 125MM (5") MARBLE CUTTER



ADJUSTABLE METAL LO

ALUMINIU

#### **SPECIFICATION**

VOLTAGE	220-240Y 50/60HZ
INPUT POWER	1250W
NO. LOAD SPEED	13,000/MIN
BLADE DIAMETER	IOOMM (NOT INCLUDED)
CABLE LENGTH	2М

#### **CONTENTS**

1250W MARBLE CUTTER

WRENCH

**SPARE CARBON BRUSHES** 

#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	1250W
NO. LOAD SPEED	13,000/MIN
BLADE DIAMETER	125MM (NOT INCLUDED)
CABLE LENGTH	2M

#### **CONTENTS**

**1250W MARBLE CUTTER** 

WRENCH

**SPARE CARBON BRUSHES** 











**(** 

#### 1900MM 1500W CIRCULAR SAW

JCB-CS1500-EM

#### **FEATURES**

- Powerful I 500W motor for professional use
- 24T TCT blade included for cutting wood
- Adjustable metal base plate for straight and mitre cuts
- Soft grip provides stable and comfortable operation













ALUMINIUM GUARD

#### **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	1500W
NO. LOAD SPEED	4,800/MIN
BLADE DIAMETER	185MM
BLADE TEETH	241
CUTTING CAPACITY	0° 65MM, 45° 45MM
CABLE LENGTH	2M

#### CONTENTS

CONTENTS	
1500W CIRCULAR SAW	SPARE CARBON BRUSHES
185MM 24T TCT BLADE	
HEX KEY	

#### 1500W 210MM SB MITRE SAW

JCB-MS-210SB-I

#### **FEATURES**

- Powerful 1500W motor for professional use
- Suitable for bevel and mitre cuts into wood
- Laser guide for accurate cutting
- Includes 24T TCT blade, dust bag, 2x work piece supports, clamp, hex key and 2x spare carbon brushes















LASER GUIDE

MAX CUTTING

METAL BASE PLATE

GUAF

#### **SPECIFICATION**

INPUT VOLTAGE	220 – 240V, 50HZ
POWER	I500W
NO LOAD SPEED	4500/MIN
CARBIDE SAW BLADE	210 X 30 X 2.6MM 24T
BRAKE	ELECTRIC
MITRE RANGE	-45° / 0° / +45°
BEVEL CUT	0° – 45° TO THE LEFT
0° MITRE X 0° BEVEL CUT	220 X 70MM
0° MITRE X 45° BEVEL CUT	220 X 35MM
45° MITRE X 45° BEVEL CUT (DOUBLE MITRE CUT)	I55 X 35MM
45° MITRE X 0° BEVEL CUT	I55 X 70MM
CABLE LENGTH	2M
LASER GUIDE	CLASS II, λ650NM, ≤ IMW
LENGTH, HEIGHT, WIDTH	780 X 460 X 485MM
WEIGHT	9.8KG

22 / 23 JCB TOOLS & ACCESSORIES 2022



#### 2200W 355MM CUT OFF MACHINE

JCB-CO355-EM

#### **FEATURES**

- Powerful 2200W motor for professional use
- Suitable for cutting steel, pipes, angle iron and box section
- 2 piece safety guard and spark guard for improved safety
- Adjustable work piece clamp to secure material for cutting transportation











## **SPECIFICATION**

VOLTAGE	220-240V 50/60HZ
INPUT POWER	2200W
NO. LOAD SPEED	3,900/MIN
BLADE SIZE	355MM
CABLE LENGTH	2M

Shape	<b>U</b>	45
OA.	I00mm	90mm
<u>↓</u>	95mm x 95mm	90mm x 90mm
	180mm x 70mm	95mm x 65mm
^>   ^>	95mm x 95mm	90mm x 90mm


#### **CONTENTS**

2200W CUT OFF SAW

355MM CUTTING WHEEL

WRENCH

SPARE CARBON BRUSHES









**(** 

#### 250W 1/4 SHEET PALM SANDER

JCB-PS250-I

#### **FEATURES**

- Powerful motor suitable for professional tasks
- Hook and loop sanding base makes sheet change quick and easy
- Dust bag collection
- Includes 3 x sanding sheets and dust bag











## **SPECIFICATION**

WATTAGE	250W 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
NO LOAD SPEED	6000-14,800/MIN
SANDING PAD SIZE	108 X 112MM
PAD FIXING	HOOK AND LOOP FASTENING
EXTRACTION	DUST BAG
WEIGHT	I.3KG
LENGTH	23.5CM
HEIGHT	I5CM
WIDTH	псм

#### 320W 125MM ORBITAL SANDER

JCB-R0125-I

#### **FEATURES**

- Powerful motor suitable for professional tasks
- Hook and loop sanding base makes disc change quick and easy
- Dust bag collection
- Variable speed control
- Includes 3 x sanding sheets and dust bag













#### **SPECIFICATION**

INPUT VOLTAGE	230 – 240V, 50HZ
POWER	320W
NO LOAD SPEED	6000 – 14,800/MIN
ECCENTRICITY	2.5MM
SANDING DISC DIAMETER	125MM
WEIGHT	I.7KG
LENGTH	22.0CM
HEIGHT	15.5CM
WIDTH	13.5CM





#### 2000W HEAT GUN

JCB-HG2000-EM

#### **FEATURES**

- Powerful 2000W motor for professional use
- Lightweight for easy operation
- Variable temperature settings for a wide range of applications
- Adjustable air flow settings







#### **SPECIFICATION**

220-240V 50/60HZ
2000W
2
l: 50 – 450°C 2: 60-600°C
l: 250L/MIN. 2: 500L/MIN
2M

#### **CONTENTS**

2000W HEAT GUN

#### JCB 50L COMPRESSOR

21-AC50-I

#### **FEATURES**

- Large 50L tank capacity
- Suitable for workshop and site use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Wheels and transport handle
















#### **SPECIFICATION**

INPUT VOLTAGE	230V / 50HZ / IPH
POWER	I.8KW / 2.5HP
MOTOR SPEED	2850/MIN (RPM)
PRESSURE (MAX)	8 BAR
VOLUME O O O O O	50 LITRES
AIR DISPLACEMENT	257L/MIN
WEIGHT	34.IKG
WEIGHTED SOUND POWER (LWA)	97 DB(A)









26 / 27 JCB TOOLS & ACCESSORIES 2022

#### **(**

#### **CUTTING AND GRINDING DISCS**

#### **FEATURES**

- Suitable for cutting a grinding metals
- Wide range of sizes suitable for multiple machines and applications
- Universal fitting blades with specified bore



#### **METAL CUTTING DISCS**

JCB-PTA-CUT-IOO	JCB 100MM METAL CUTTING DISC 100X3.0X16MM
JCB-PTA-CUT-II5	JCB II5MM METAL CUTTING DISC II5X3.0X22.23MM
JCB-PTA-CUT-180	JCB 180MM METAL CUTTING DISC 180X3.0X22.23MM
JCB-PTA-CUT-230	JCB 230MM METAL CUTTING DISC 230X3.0X22.23MM

#### **CHOPSAW DISC**

**(** 

#### **METAL GRINDING DISCS**

JCB-PTA-GR-II5	JCB II5MM METAL GRINDING DISC II5X6.0X22.23MM
JCB-PTA-GR-180	JCB 180MM METAL GRINDING DISC 180X6.0X22.23MM
JCB-PTA-GR-230	JCB 230MM METAL GRINDING DISC 230X6.0X22.23MM
JCB-PTA-GR-100	JCB 100MM METAL GRINDING DISC 100X6.0X22.23MM

#### STAINLESS STEEL GRINDING DISCS

JCB-PTA-SSG-II5	JCB 115MM STAINLESS STEEL GRINDING DISC 115X6.0X22.23MM
JCB-PTA-CSS-II5	JCB II5MM STAINLESS STEEL CUTTING DISC II5XI.2X22.23MM

#### **CUT-OFF WHEELS**

JCB-PTA-COW-I00	JCB THIN CUT-OFF WHEEL 100XI.0XI6 A60T

#### **DIAMOND BLADE**

#### **FEATURES**

- Suitable for cutting general purpose building materials, stock paving bricks, roofing tiles, lintels and hard sandstones
- Diamond blade for high performance cutting
- Universal fitting blade with specified bore



	<del></del>
JCB-PTA-DBI05-GP	JCB 105MM GENERAL PURPOSE BLADE 20/16MM BORE
JCB-PTA-DBII5-GP	JCB II5MM METAL CUTTING DISC II5X3.0X22.23MM
JCB-PTA-DB230-GP	JCB 230MM GENERAL PURPOSE BLADE 22.23MM BORE
JCB-PTA-DB180-GP	JCB 180MM GENERAL PURPOSE BLADE 22.23MM BORE
JCB-PTA-DBII5-HC	JCB II5MM HARD CONCRETE BLADE 22.23MM BORE
JCB-PTA-DBII5-ST	JCB II5MM STONE/TILE CONTINUOUS RIM 22.23 BORE
JCB-PTA-DBII5-GR	JCB II5MM GRANITE CUTTING DISC 22.23 BORE
JCB-PTA-DBI05-CP	JCB 100MM DIAMOND GRINDING WHEEL 22.23 BORE

#### **CIRCULAR SAW BLADES**

#### **FEATURES**

- Wood Saw blades for use with circular saws
- Tungsten carbide teeth for a fine cut finish
- Universal fit blade with a 30mm bore



JCB-WTCTI80-48T	JCB CIRCULAR SAW (WOOD) TCT 180 X 30 X 48 TEETH
JCB-WTCT185-60T	JCB CIRCULAR SAW BLADE (MDF) 185 X 30 X 60 TEETH













#### **SDS PLUS® CROSSHEAD MASONRY**

#### **FEATURES**

- C45 Carbon Steel shaft
- Brazed YG8 Carbide Tip
- Tungsten carbide cutting tips for a smoother, faster cut and prolonged life
- Features 4 cutting edges for hard masonry materials
- Double-fluted shank for efficient waste removal



JCB-SDS-6XIIO	CONCRETE SDS PLUS® BIT 6 X IIOMM
JCB-SDS-6XI60	CONCRETE SDS PLUS® BIT 6 X 160MM
JCB-SDS-8XI60	CONCRETE SDS PLUS® BIT 8 X 160MM
JCB-SDS-8X2I0	CONCRETE SDS PLUS® BIT 8 X 210MM
JCB-SDS-IOXI60	CONCRETE SDS PLUS® BIT 10 X 160MM
JCB-SDS-I0X2I0	CONCRETE SDS PLUS® BIT 10 X 210MM
JCB-SDS-12X210	CONCRETE SDS PLUS® BIT 12 X 210MM
JCB-SDS-I4XI60	CONCRETE SDS PLUS® BIT I4 X I60MM
JCB-SDS-I4X260	CONCRETE SDS PLUS® BIT I4 X 260MM
JCB-SDS-16X210	CONCRETE SDS PLUS® BIT 16 X 210MM
JCB-SDS-I6X3I0	CONCRETE SDS PLUS® BIT 16 X 310MM

#### **SDS MAX® CHISELS**

#### **FEATURES**

- Suitable for SDS Max® mains or cordless demolition hammer drills
- Can be used on all masonry, stone, brick and concrete
- Manufactured using a special heat-treatment process for long-term hardness and durability
- Material: Ultra-high strength 40RC steel



JCB-SDSMX-BL400	JCB SDS MAX® BULL POINT CHISEL 400MM
JCB-SDSMX-BL600	JCB SDS MAX® BULL POINT CHISEL 600MM
JCB-SDSMX-FL400	JCB SDS MAX® FLAT (COLD) CHISEL 25 X 400MM
JCB-SDSMX-FL600	JCB SDS MAX® FLAT (COLD) CHISEL 25 X 600MM
JCB-SDSMX-SC300	JCB SDS MAX® SCALING CHISEL 50 X 300MM
JCB-SDSMX-SC400	JCB SDS MAX® SCALING CHISEL 50 X 400MM
JCB-SDSHX-BL410	JCB HEX SHANK BULL POINT CHISEL 410MM
JCB-SDSHX-FL4I0	JCB HEX SHANK FLAT (COLD) CHISEL 36 X 410MM
JCB-SDSHX-SC520	JCB HEX SHANK SCALING CHISEL 75 X 520MM

#### SDS PLUS® CHISEL

#### **FEATURES**

- Suitable for SDS Plus® mains or cordless hammer drills
- Can be used on all masonry, stone, brick and concrete
- Manufactured using a special heat-treatment process for long-term hardness and durability
- Material: Ultra-high strength 40RC steel



JCB-SDSP-BL250	JCB BULL POINT SDS PLUS® CHISEL 250MM
JCB-SDSP-FL250	JCB FLAT (COLD) SDS PLUS® CHISEL 20X250MM
JCB-SDSP-SC250	JCB SCALING SDS PLUS® CHISEL 40X250MM

28 / 29 JCB TOOLS & ACCESSORIES 2022



## 16" KIT BAG

JCB-KBAG16-I

#### **FEATURES**

- JCB 16" tool kit bag ideal for transporting small to medium power tools, hand tools and accessories
- Multiple pockets for storing and transporting tools and accessories
- Padded shoulder strap
- Soft grip carry handle




## ZIPPED CASE

JCB-ZCASE-I

#### **FEATURES**

• The JCB Zipped Case is ideal for securely carrying a drill, battery and charger



















JCB Tools MENA are an official partner of J.C. Bamford Excavators Ltd (JCB)

JCB Tools MENA is operated by Tasher DMCC

www.jcbtools.me